NSN 5945-00-258-2579

Electromagnetic Relay - Page 1 of 2

Overall Length: 8.563 inches



View Online at https://aerobasegroup.com/nsn/5945-00-258-2579

Center To Center Distance Between Mounting Facilities Parallel To Width:
1.750 inches single mounting facility
Overall Height:
5.688 inches
Overall Width:
3.125 inches
Case Material:
Plastic
Unthreaded Mounting Hole Diameter:
0.344 inches single mounting facility
Fragility Factor:
Moderately rugged
End Application:
Type an/spq-5
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
5.3 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
152.207 cubic inches
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, single throw, normally open, double make, momentary action
Operating Current Rating And Type:
300.0 milliamperes ac single winding

NSN 5945-00-258-2579

Electromagnetic Relay - Page 2 of 2



Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Tria	ngle:
---	-------

7.750 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

50.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

440.0 ac

Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A03300