

View Online at <https://aerobasegroup.com/nsn/5945-00-258-2626>

Thread Class:

2a mounting facility stud

Thread Direction:

Right-hand mounting facility stud

Body Style:

Double ended actuator

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.719 inches

Body Diameter:

1.156 inches

Body Height:

0.640 inches

Case Material:

Steel

Case Surface Treatment:

Cadmium and chromium

Fragility Factor:

Moderately rugged

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

1

Electrical Resistance:

100.70 ohms

Duty Type:

Continuous

Terminal Location:

Circumference

Voltage Rating In Volts:

28.0 dc

Mounting Facility Type And Quantity:

2 threaded stud

Current Rating:

3.0 amperes

Storage Type:

General purpose warehouse

Thready Qty Per Inch (tpi):

48 mounting facility stud

Actuator Stroke Type:

Rotary

Power Takeoff Connection Type:

Plate coupling

Plate Coupling Facility And Quantity:

1 unthreaded hole

Plate Coupling Facility Diameter:

0.875 inches

Plate Coupling Facility Radius:

0.437 inches

Thread Size:

0.099 inches mounting facility stud

Mounting Facility Pattern:

Two position in-line

Rotation Direction And Energizing Stroke In Angular Deg:

25.0 clockwise

Thread Series Designator:

Unc mounting facility stud

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0