NSN 5945-00-258-3084

Electromagnetic Relay - Page 1 of 2

Unc single mounting facility



View Online at https://aerobasegroup.com/nsn/5945-00-258-3084

Thread Class: 2a single mounting facility **Overall Length:** 1.620 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.9375 inches single mounting facility **Overall Height:** 2.000 inches **Overall Width:** 1.430 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 10.0 kilohms single winding **Duty Type:** Continuous **Arc Quenching Method:** Inert gas **Mounting Facility Type And Quantity:** 3 threaded stud single mounting facility **Thread Size:** 0.138 inches single mounting facility **Mounting Facility Pattern:** Triangle single mounting facility **Nonpile-up Main Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Operating Current Rating And Type:** 15.0 milliamperes dc single winding Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle: 1.1875 inches single mounting facility **Operating Voltage Rating And Type At Specificationified Temp:** 150.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 5.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 24.0 dc **Thread Series Designator:**

NSN 5945-00-258-3084

Electromagnetic Relay - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300