NSN 5945-00-258-3085

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-258-3085

view Offiline at https://acrobasegroup.com/hish/0340-00-230-0000
Thread Class:
2b single mounting facility
Overall Length:
2.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.750 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.500 inches single mounting facility
Overall Height:
4.750 inches
Overall Width:
2.500 inches
Frequency In Hertz:
60.0
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
2.211 kilohms single winding
Duty Type:
Intermittent
Mounting Facility Type And Quantity:
4 threaded hole single mounting facility
Thread Size:
0.164 inches single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Current Rating And Type:
520.0 milliamperes ac single winding
Time Delay:
0.10 seconds adjustable operate time and 300.00 seconds adjustable operate time
Operating Voltage Rating And Type At Specificationified Temp:
115.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.5 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
32.0 dc

Thread Series Designator:

Unc single mounting facility

NSN 5945-00-258-3085

Electromagnetic Relay - Page 2 of 2



Terminal Type Ar	nd Quantity:
------------------	--------------

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300