NSN 5945-00-258-3155

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-258-3155

Thread Class:

2a single mounting facility

Overall Length:

2.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.250 inches single mounting facility

Overall Height:

2.500 inches

Overall Width:

1.750 inches

Environmental Protection:

Hermetic

Winding Quantity:

Coil Quantity:

Con Quantity

1

1

Winding Dc Resistance Rating:

160.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Inert gas

Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, single throw, normally open, momentary action

Operating Current Rating And Type:

150.0 milliamperes dc single winding and 180.0 milliamperes dc single winding

Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding and 28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac

Thread Series Designator:

Unc single mounting facility

NSN 5945-00-258-3155

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300

