## NSN 5945-00-258-3155

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-258-3155

**Thread Class:** 2a single mounting facility **Overall Length:** 2.000 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.500 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 1.250 inches single mounting facility **Overall Height:** 2.500 inches **Overall Width:** 1.750 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 160.0 ohms single winding **Duty Type:** Continuous **Arc Quenching Method:** Inert gas **Mounting Facility Type And Quantity:** 4 threaded stud single mounting facility **Thread Size:** 0.138 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, single throw, normally open, momentary action **Operating Current Rating And Type:** 150.0 milliamperes dc single winding and 180.0 milliamperes dc single winding **Operating Voltage Rating And Type At Specificationified Temp:** 24.0 volts dc 25 degrees celsius single winding and 28.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 15.0 amperes ac resistive load Main Contact Maximum Voltage Rating In Volts: 115.0 ac

**Thread Series Designator:** 

Unc single mounting facility

## NSN 5945-00-258-3155

Electromagnetic Relay - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300