## NSN 5945-00-258-3523

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-258-3523

Overall Length:
2.562 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.188 inches single mounting facility
Overall Height:
2.094 inches
Overall Width:
2.120 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.219 inches single mounting facility
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
160.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Inert gas
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
11.373 cubic inches
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
1 two circuit, double break/double make, one position momentary and 1 pole, double throw, one position momentary
Operating Current Rating And Type:
150.0 milliamperes dc single winding

24.0 volts dc 25 degrees celsius single winding

**Operating Voltage Rating And Type At Specificationified Temp:** 

## NSN 5945-00-258-3523

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

115.0 ac and 29.0 dc

**Terminal Type And Quantity:** 

8 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300