NSN 5945-00-258-3554

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-258-3554

Thread Class:

2a single mounting facility

Overall Length:

2.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.250 inches single mounting facility

Overall Height:

2.500 inches

Overall Width:

1.750 inches

Environmental Protection:

Hermetic

Frequency In Hertz:

Between 380.0 and 420.0

Winding Quantity:

1

Coil Quantity:

ı

Winding Dc Resistance Rating:

10.0 kilohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Inert gas

Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

11.5 milliamperes ac single winding

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load and 5.0 amperes dc resistive load

NSN 5945-00-258-3554

Electromagnetic Relay - Page 2 of 2



Terminal Type Ar	nd Quantity:
------------------	--------------

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300