NSN 5945-00-258-7614

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-258-7614

ınre	ead Cla	ISS:	
2b si	ingle m	ounting fa	acility
_			

Overall Length:

2.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.500 inches single mounting facility

Overall Height:

4.625 inches

Overall Width:

2.500 inches

Frequency In Hertz:

60.0

Winding Quantity:

Coil Quantity:

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 threaded hole single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

0.05 amperes ac single winding

Time Delay:

60.00 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac resistive load and 1.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

550.0 ac and 220.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 pin all functions

NSN 5945-00-258-7614

Electromagnetic Relay - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300