NSN 5945-00-258-7918

Electrical Solenoid - Page 1 of 2

Thread Class:

2b plate coupling facility hole



View Online at https://aerobasegroup.com/nsn/5945-00-258-7918

Body Style: Armature end actuator **Center To Center Distance Between Mounting Facilities Parallel To Length:** 0.500 inches **Body Diameter:** 1.875 inches **Body Height:** 1.016 inches **Case Material:** Steel **Case Surface Treatment:** Cadmium **Environmental Protection:** Any acceptable **Maximum Operating Temp:** 80.0 degrees celsius **Inclosure Type:** Fully enclosed **Magnetic Coil Quantity:** 1 **Electrical Resistance:** 30.48 ohms **Duty Type:** Continuous **Terminal Location:** Circumference **Voltage Rating In Volts:** 23.9 dc **Mounting Facility Type And Quantity:** 2 threaded stud **Current Rating:** 700.0 milliamperes **Torque Rating And Type:** 4.41 inch-pounds starting and 2.60 inch-pounds end Thready Qty Per Inch (tpi): 32 plate coupling facility hole **Actuator Stroke Type:** Rotary **Power Takeoff Connection Type:** Plate coupling

NSN 5945-00-258-7918 Electrical Solenoid - Page 2 of 2



Plate Coupling Facility And Quantity:
3 threaded hole
Plate Coupling Facility Diameter:
0.880 inches
Plate Coupling Facility Radius:
0.562 inches
Plate Coupling Facility Center To Center Spacing In Deg:
120.0
Thread Size:
0.164 inches mounting facility stud
Mounting Facility Pattern:
Two position in-line
Rotation Direction And Energizing Stroke In Angular Deg:
25.0 counterclockwise
Thread Series Designator:
Unc plate coupling facility hole
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
- -
Demilitarization:
No
Fiig:
A134a0