# NSN 5945-00-259-0550

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-259-0550

#### **Thread Class:**

2a single mounting facility

#### **Overall Length:**

1.620 inches

## **Overall Height:**

2.060 inches

### **Overall Width:**

1.090 inches

#### **Environmental Protection:**

Hermetic

#### End Application:

Type no. An/upa35

#### Winding Quantity:

1

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

450.0 ohms single winding

Duty Type:

Continuous

#### Arc Quenching Method:

Inert gas

#### Mounting Facility Type And Quantity:

3 threaded stud single mounting facility

#### Thready Qty Per Inch (tpi):

32 single mounting facility

#### Thread Size:

0.138 inches single mounting facility

#### Mounting Facility Pattern:

Triangle single mounting facility

## Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, momentary action

#### **Operating Current Rating And Type:**

59.0 amperes dc single winding

## Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.187 inches single mounting facility

#### Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

50.0 milliamperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

350.0 dc

# NSN 5945-00-259-0550

Electromagnetic Relay - Page 2 of 2



**Thread Series Designator:** 

Unc single mounting facility

## Terminal Type And Quantity:

4 pin all functions

Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A03300