

View Online at <https://aerobasegroup.com/nsn/5945-00-259-1896>

Thread Class:

2a mounting facility stud

Body Style:

Base end actuator

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.250 inches

Body Diameter:

1.750 inches

Body Height:

1.000 inches

Case Material:

Steel

Case Surface Treatment:

Cadmium

Environmental Protection:

Any acceptable

Actuator Diameter:

0.250 inches

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

1

Electrical Resistance:

117.30 ohms

Duty Type:

Continuous

Terminal Location:

Circumference

Voltage Rating In Volts:

90.0 dc

Mounting Facility Type And Quantity:

2 threaded stud

Current Rating:

767.0 milliamperes

Torque Rating And Type:

1.20 inch-pounds starting and 1.80 inch-pounds end

Thready Qty Per Inch (tpi):

32 mounting facility stud

Actuator Stroke Type:

Rotary

Power Takeoff Connection Type:

Press fitted onto a cam

Thread Size:

0.164 inches mounting facility stud

Mounting Facility Pattern:

Two position in-line

Rotation Direction And Energizing Stroke In Angular Deg:

45.0 counterclockwise

Special Features:

One wire lead 7.500 in. Lg with terminal, one wire lead 4.500 in. Lg with terminal lug

Thread Series Designator:

Unc mounting facility stud

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0