## NSN 5945-00-259-5270

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-259-5270

·
Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
1.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.375 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.000 inches single mounting facility
Overall Height:
3.094 inches
Overall Width:
1.500 inches
Environmental Protection:
Hermetic
Contact Material:
Silver
End Application:
Model no. F-94
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
8.0 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Inert gas
Mounting Facility Type And Quantity:
2 threaded stud single mounting facility
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.138 inches single mounting facility
Mounting Facility Pattern:
Diagonal single mounting facility
Nonpile-up Main Contact Arrangement:
1 pole, double throw, one position momentary

115.0 volts ac 25 degrees celsius single winding

**Operating Voltage Rating And Type At Specificationified Temp:** 

## NSN 5945-00-259-5270

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

1.5 amperes ac resistive load and 1.5 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

120.0 ac and 28.0 dc

**Precious Material And Location:** 

Contacts silver

**Precious Material:** 

Silver

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

5 tab, solder lug all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300