

View Online at <https://aerobasegroup.com/nsn/5945-00-259-5270>

**Thread Class:**

2a single mounting facility

**Thread Direction:**

Right-hand single mounting facility

**Overall Length:**

1.500 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.375 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.000 inches single mounting facility

**Overall Height:**

3.094 inches

**Overall Width:**

1.500 inches

**Environmental Protection:**

Hermetic

**Contact Material:**

Silver

**End Application:**

Model no. F-94

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

8.0 kilohms single winding

**Duty Type:**

Continuous

**Arc Quenching Method:**

Inert gas

**Mounting Facility Type And Quantity:**

2 threaded stud single mounting facility

**Thready Qty Per Inch (tpi):**

32 single mounting facility

**Thread Size:**

0.138 inches single mounting facility

**Mounting Facility Pattern:**

Diagonal single mounting facility

**Nonpile-up Main Contact Arrangement:**

1 pole, double throw, one position momentary

**Operating Voltage Rating And Type At Specificationified Temp:**

115.0 volts ac 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

1.5 amperes ac resistive load and 1.5 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

120.0 ac and 28.0 dc

**Precious Material And Location:**

Contacts silver

**Precious Material:**

Silver

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

5 tab, solder lug all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300