## NSN 5945-00-259-5301

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-259-5301

| Overall Length:   |
|---|
| 8.578 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.188 inches single mounting facility                                     |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 1.750 inches single mounting facility                                     |
| Overall Height:   |
| 2.938 inches  |
| Overall Width:  |
| 5.062 inches  |
| Environmental Protection:   |
| Dustproof   |
| Unthreaded Mounting Hole Diameter:  |
| 0.344 inches single mounting facility                                     |
| Winding Quantity:   |
| 1   |
| Coil Quantity:  |
| 1   |
| Winding Dc Resistance Rating:   |
| 0.01 ohms single winding  |
| Duty Type:  |
| Intermittent  |
| Mounting Facility Type And Quantity:                                      |
| 4 unthreaded hole single mounting facility                                |
| Mounting Facility Pattern:  |
| Rectangular single mounting facility                                      |
| Nonpile-up Main Contact Arrangement:                                      |
| 1 pole, single throw, normally open, momentary action                     |
| Operating Current Rating And Type:  |
| 24.0 amperes dc single winding  |
| Operating Voltage Rating And Type At Specificationified Temp:             |
| 12.0 volts dc 25 degrees celsius single winding                           |
| Main Contact Load Current Rating At Maximum Rated Voltage:                |
| 900.0 amperes dc resistive load   |
| Main Contact Maximum Voltage Rating In Volts:                             |
| 12.0 dc   |
| Terminal Type And Quantity:   |
| 4 pin all functions   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 5945-00-259-5301

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300