NSN 5945-00-259-5463

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-259-5463 **Thread Class:** 2a single mounting facility **Overall Length:** 1.000 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.500 inches single mounting facility **Overall Height:** 1.750 inches **Overall Width:** 1.000 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 1.0 kilohms single winding **Duty Type:** Continuous **Arc Quenching Method:** Inert gas **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility **Features Provided:** Polarized Thready Qty Per Inch (tpi): 40 single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

6.3 amperes dc single winding

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 24.0 dc

NSN 5945-00-259-5463

Electromagnetic Relay - Page 2 of 2



T	'nr	ead	Series	Desig	nator
-			-0	-00.9	

Unc single mounting facility

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300