NSN 5945-00-259-5463

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-259-5463

Thread Class:

2a single mounting facility

Overall Length:

1.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.500 inches single mounting facility

Overall Height:

1.750 inches

Overall Width:

1.000 inches

Environmental Protection:

Hermetic

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

1.0 kilohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Inert gas

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Features Provided:

Polarized

Thready Qty Per Inch (tpi):

40 single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

6.3 amperes dc single winding

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 24.0 dc

NSN 5945-00-259-5463

Electromagnetic Relay - Page 2 of 2



Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300