

View Online at <https://aerobasegroup.com/nsn/5945-00-259-6058>

**Thread Class:**

2a mounting facility stud

**Thread Direction:**

Right-hand mounting facility stud

**Body Style:**

Base end actuator

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.500 inches

**Body Diameter:**

1.140 inches

**Body Height:**

0.641 inches

**Case Material:**

Steel

**Case Surface Treatment:**

Cadmium

**Environmental Protection:**

Any acceptable

**Maximum Operating Temp:**

65.0 degrees celsius

**Actuator Length:**

0.500 inches

**Fragility Factor:**

Moderately rugged

**Actuator Diameter:**

0.156 inches

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

1

**Electrical Resistance:**

148.10 ohms

**Duty Type:**

Continuous

**Terminal Location:**

Circumference

**Voltage Rating In Volts:**

30.0 dc

**Mounting Facility Type And Quantity:**

2 threaded stud

**Current Rating:**

200.0 milliamperes

**Storage Type:**

General purpose warehouse

**Torque Rating And Type:**

0.40 inch-pounds starting and 2.20 inch-pounds end

**Cubic Measure:**

0.654 cubic inches

**Thready Qty Per Inch (tpi):**

48 mounting facility stud

**Actuator Stroke Type:**

Rotary

**Power Takeoff Connection Type:**

Plain

**Thread Size:**

0.099 inches mounting facility stud

**Mounting Facility Pattern:**

Two position in-line

**Rotation Direction And Energizing Stroke In Angular Deg:**

25.0 counterclockwise

**Thread Series Designator:**

Unc mounting facility stud

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A134a0