

View Online at <https://aerobasegroup.com/nsn/5945-00-276-9261>

Overall Length:

4.766 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.062 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility

Overall Height:

3.562 inches

Overall Width:

4.125 inches

Mounting Slot Width:

0.265 inches single mounting facility

Environmental Protection:

Dustproof

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

6.50 ohms single winding

Duty Type:

Intermittent

Mounting Facility Type And Quantity:

4 slotted hole single mounting facility

Mounting Facility Pattern:

Diamond single mounting facility

Operating Current Rating And Type:

2.20 amperes dc single winding

Operating Voltage Rating And Type At Specificationified Temp:

14.4 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

500.0 amperes dc inductive load

Main Contact Maximum Voltage Rating In Volts:

32.0 dc

Terminal Type And Quantity:

2 connector, receptacle energizing element

Fsc Application Data (non-core):

Engine cranking motor, nonaircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300