

View Online at <https://aerobasegroup.com/nsn/5945-00-276-9264>

Thread Class:

2a single mounting facility

Overall Length:

2.921 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.875 inches single mounting facility

Overall Height:

2.594 inches

Overall Width:

3.500 inches

Mounting Slot Width:

0.250 inches single mounting facility

Overall Diameter:

1.625 inches

Environmental Protection:

Dustproof

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

50.0 ohms single winding

Duty Type:

Intermittent

Mounting Facility Type And Quantity:

2 slotted hole single mounting facility

Thread Size:

0.375 inches single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Operating Current Rating And Type:

2.40 amperes dc single winding

Operating Voltage Rating And Type At Specificationified Temp:

8.60 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

200.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

12.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

3 threaded stud contacts

Fsc Application Data (non-core):

Engine cranking motor, nonaircraft

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300