## NSN 5945-00-295-4306

Electromagnetic Relay - Page 1 of 2

12 pin all functions



View Online at https://aerobasegroup.com/nsn/5945-00-295-4306

Thread Class:
2a single mounting facility
Overall Length:
3.810 inches
Overall Height:
2.500 inches
Overall Width:
1.750 inches
Environmental Protection:
Hermetic
End Application:
Type an/spq-5
Winding Quantity:
2
Coil Quantity:
1
Winding Dc Resistance Rating:
11.0 kilohms second winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
3 threaded stud single mounting facility
Features Provided:
Polarized
Thread Size:
0.164 inches single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
2 two circuit, both positions maintained
Operating Current Rating And Type:
2.2 milliamperes dc all windings
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
2.593 inches single mounting facility
Main Contact Load Current Rating At Maximum Rated Voltage:
5.00 amperes dc inductive load and 5.00 amperes ac inductive load
Main Contact Maximum Voltage Rating In Volts:
24.0 dc and 115.0 ac
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:

## NSN 5945-00-295-4306

Electromagnetic Relay - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300