NSN 5945-00-295-4749

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-295-4749

Thread Class: 2b single mounting facility **Overall Length:** 2.500 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.750 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.500 inches single mounting facility **Overall Height:** 4.500 inches **Overall Width:** 2.500 inches **Environmental Protection:** Dustproof Frequency In Hertz: 60.0 **Winding Quantity: Coil Quantity: Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.164 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Time Delay: 0.10 seconds adjustable operate time and 300.00 seconds adjustable operate time **Operating Voltage Rating And Type At Specificationified Temp:** 120.0 volts ac 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 1.0 amperes ac resistive load and 1.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 550.0 ac and 220.0 dc **Thread Series Designator:**

Unc single mounting facility

NSN 5945-00-295-4749

Electromagnetic Relay - Page 2 of 2



| | Ī | erminal | Type | And | Quantit | y: |
|--|---|---------|------|-----|---------|----|
|--|---|---------|------|-----|---------|----|

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300