NSN 5945-00-295-6632

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-295-6632					
Thread Class:					
2b single mounting facility					
Overall Length:					
5.000 inches					
Overall Height:					
2.590 inches					
Overall Width:					
4.030 inches					
Winding Quantity:					
1					
Coil Quantity:					
1					
Winding Dc Resistance Rating:					
107.0 ohms single winding					
Duty Type:					
Continuous					
Mounting Facility Type And Quantity:					
3 threaded hole single mounting facility					
Thready Qty Per Inch (tpi):					
32 single mounting facility					
Thread Size:					
0.190 inches single mounting facility					
Mounting Facility Pattern:					
Triangle single mounting facility					
Nonpile-up Main Contact Arrangement:					
3 pole, double throw, one position momentary					
Operating Current Rating And Type:					
224.0 milliamperes dc single winding					
Nonpile-up Auxiliary Contact Arrangement:					
2 pole, double throw, one position momentary					
Auxiliary Contact Maximum Voltage Rating In Volts:					
115.0 ac and 32.0 dc					
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:					
2.375 inches single mounting facility					
Operating Voltage Rating And Type At Specificationified Temp:					
24.0 volts dc 25 degrees celsius single winding					
Main Contact Load Current Rating At Maximum Rated Voltage:					
10.0 amperes ac inductive load and 35.0 amperes dc inductive load					
Main Contact Maximum Voltage Rating In Volts:					
115.0 ac and 32.0 dc					

Thread Series Designator: Unc single mounting facility

NSN 5945-00-295-6632

Electromagnetic Relay - Page 2 of 2



Ī	erminal	Type	And	Quant	tity:

15 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300