NSN 5945-00-295-6632

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-295-6632

Thread Class:

2b single mounting facility

Overall Length:

5.000 inches

Overall Height:

2.590 inches

Overall Width:

4.030 inches

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

107.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

3 threaded hole single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.190 inches single mounting facility

Mounting Facility Pattern:

Triangle single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, double throw, one position momentary

Operating Current Rating And Type:

224.0 milliamperes dc single winding

Nonpile-up Auxiliary Contact Arrangement:

2 pole, double throw, one position momentary

Auxiliary Contact Maximum Voltage Rating In Volts:

115.0 ac and 32.0 dc

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

2.375 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac inductive load and 35.0 amperes dc inductive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 32.0 dc

Thread Series Designator:

Unc single mounting facility

NSN 5945-00-295-6632

Electromagnetic Relay - Page 2 of 2



Terminal Type And Quantity:

15 pin all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300