

View Online at <https://aerobasegroup.com/nsn/5945-00-296-7794>

Thread Class:

2b second mounting facility

Overall Length:

4.930 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.250 inches second mounting facility

Overall Height:

4.000 inches

Overall Width:

3.500 inches

End Application:

Type no. C-1281/u

Winding Quantity:

2

Coil Quantity:

1

Winding Dc Resistance Rating:

1.425 kilohms all windings

Duty Type:

Continuous

Arc Quenching Method:

Capacitor

Mounting Facility Type And Quantity:

2 threaded hole second mounting facility

Thread Qty Per Inch (tpi):

40 second mounting facility

Thread Size:

0.138 inches first mounting facility

Mounting Facility Pattern:

In-line second mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary and 2 pole, single throw, normally open, momentary action

Operating Current Rating And Type:

88.0 milliamperes ac all windings

Operating Voltage Rating And Type At Specificationified Temp:

125.0 volts ac 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

88.0 milliamperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

125.0 dc

Thread Series Designator:

Unc second mounting facility

Terminal Type And Quantity:

12 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300