NSN 5945-00-315-2180

Electromagnetic Relay - Page 1 of 2

2.000 inches single mounting facility

Unthreaded Mounting Hole Diameter:

Overall Length: 2.375 inches

Overall Height: 1.281 inches Overall Width: 1.375 inches



View Online at https://aerobasegroup.com/nsn/5945-00-315-2180

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.187 inches single mounting facility
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Contact Surface Treatment:
Gold flash
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
74.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
4.183 cubic inches
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, double throw, one position momentary
Time Delay:
0.015 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temps
24.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
10.0 amperes ac resistive load
Main Contact Maximum Voltage Rating In Volts:
120.0 ac

NSN 5945-00-315-2180

Electromagnetic Relay - Page 2 of 2



Energizing Element Power Rating:

2.2 volts-amperes

Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Gold and silver

Terminal Type And Quantity:

11 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300