

View Online at <https://aerobasegroup.com/nsn/5945-00-321-0832>

**Thread Class:**

2b single mounting facility

**Thread Direction:**

Right-hand single mounting facility

**Overall Length:**

4.781 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.410 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.375 inches single mounting facility

**Overall Height:**

4.375 inches

**Overall Width:**

2.344 inches

**Environmental Protection:**

Dustproof

**Fragility Factor:**

Moderately rugged

**Winding Quantity:**

2

**Purpose For Which Designed:**

General

**Coil Quantity:**

2

**Winding Dc Resistance Rating:**

3.48 ohms second winding

**Duty Type:**

Continuous

**Arc Quenching Method:**

Air

**Mounting Facility Type And Quantity:**

4 threaded hole single mounting facility

**Storage Type:**

General purpose warehouse

**Features Provided:**

Latching contacts

**Cubic Measure:**

49.029 cubic inches

**Thready Qty Per Inch (tpi):**

32 single mounting facility

**Thread Size:**

0.138 inches single mounting facility

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:**

3 pole, single throw, normally open, double make, momentary action and 7 pole, single throw, normally closed, double break, momentary action

**Operating Voltage Rating And Type At Specificationified Temp:**

30.0 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

15.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

30.0 dc

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

14 wire lead all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300