

View Online at <https://aerobasegroup.com/nsn/5945-00-322-4087>

Thread Class:

2a single mounting facility

Overall Length:

1.344 inches

Overall Height:

1.953 inches

Overall Width:

0.969 inches

Environmental Protection:

Hermetic

End Application:

Type no. Dy-94/grc-10

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

112.0 ohms single winding and 138.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

3 threaded stud single mounting facility

Pile-up Main Contact Form Arrangement:

2c and 2b and 1a

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.190 inches single mounting facility

Mounting Facility Pattern:

Triangle single mounting facility

Time Delay:

0.0250 seconds fixed operate time

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.000 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

12.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

14 pin all functions

Fsc Application Data (non-core):

Relay, armature except engine

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300