# NSN 5945-00-333-1016

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-333-1016

## **Thread Class:**

2b single mounting facility

#### **Overall Length:**

4.000 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

0.750 inches single mounting facility

## **Overall Height:**

1.210 inches

#### **Overall Width:**

2.000 inches

## Winding Quantity:

1

# Coil Quantity:

1

## Winding Dc Resistance Rating:

275.0 ohms single winding

## Duty Type:

Continuous

## Mounting Facility Type And Quantity:

2 threaded hole single mounting facility

## Pile-up Main Contact Form Arrangement:

1c3a

## Thread Size:

0.164 inches single mounting facility

## Mounting Facility Pattern:

In-line single mounting facility

## **Operating Current Rating And Type:**

28.3 milliamperes dc single winding

## Operating Voltage Rating And Type At Specificationified Temp:

48.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

50.0 dc

## **Special Features:**

Slow release due to short lever armature

## **Thread Series Designator:**

Unc single mounting facility

## **Terminal Type And Quantity:**

11 pin all functions

#### Fsc Application Data (non-core):

Panel, telephone switchboard

# NSN 5945-00-333-1016

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

