NSN 5945-00-351-6240

Electromagnetic Relay - Page 1 of 2

Thread Class:

Thread Direction:

Thread Length:

Overall Length: 1.109 inches Overall Height:

2a single mounting facility

Right-hand single mounting facility

0.312 inches single mounting facility



View Online at https://aerobasegroup.com/nsn/5945-00-351-6240

1.593 inches
Overall Width:
0.859 inches
Case Material:
Plastic
Environmental Protection:
Dustproof
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Contact Surface Treatment:
Gold flash
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
9.0 kilohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
1 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
1.518 cubic inches
Thready Qty Per Inch (tpi):
48 single mounting facility
Thread Size:
0.099 inches single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary

NSN 5945-00-351-6240

Electromagnetic Relay - Page 2 of 2



	Time	Del	ay:
--	------	-----	-----

0.013 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

90.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 30.0 dc

Energizing Element Power Rating:

900.0 milliwatts

Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Silver and gold

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

14 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300