## NSN 5945-00-365-9250

Electromagnetic Relay - Page 1 of 2

Overall Length: 0.610 inches Overall Height: 0.510 inches



View Online at https://aerobasegroup.com/nsn/5945-00-365-9250

Overall Width:
0.610 inches
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Winding Quantity:
2
Purpose For Which Designed:
General
Coil Quantity:
2
Winding Dc Resistance Rating:
877.5 ohms single winding and 1.1 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
1 plug-in terminal single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Latching contacts
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Time Delay:
0.004 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
26.5 volts dc 25 degrees celsius all windings
Main Contact Load Current Rating At Maximum Rated Voltage:
125.0 milliamperes ac resistive load and 2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

16 pin all functions

**Terminal Type And Quantity:** 

115.0 ac and 28.0 dc

Test Data Document:

## NSN 5945-00-365-9250

Electromagnetic Relay - Page 2 of 2



Spec	ifica	ation	Data:
------	-------	-------	-------

81349-mil-r-5757/85 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300