## NSN 5945-00-401-0115

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-401-0115

Thread Class:
2a single mounting facility
Overall Length:
1.290 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.700 inches single mounting facility
Overall Height:
0.610 inches
Overall Width:
1.010 inches
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
500.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Thread Size:
0.112 inches single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Operating Current Rating And Type:
27.0 milliamperes dc single winding
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle
0.300 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:

13.5 volts dc 25 degrees celsius single winding

## NSN 5945-00-401-0115

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac resistive load and 2.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

115.0 ac and 28.0 dc

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

14 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300