NSN 5945-00-401-6828



Electrical Solenoid - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5945-00-401-6828 **Body Style:** Cylindrical **Overall Length:** 1.000 inches **Overall Diameter:** 0.750 inches **Case Material:** Any acceptable **Case Surface Treatment:** Cadmium **Environmental Protection:** Salt spray resistant **Maximum Operating Temp:** 125.0 degrees celsius **End Application:** Ckk **Inclosure Type:** Fully enclosed **Magnetic Coil Quantity: Electrical Resistance:** 20.00 ohms **Terminal Location:** Top edge on end opposite actuator **Voltage Rating In Volts:** 47.0 dc **Actuator Stroke Type:** Pull **Linear Force Delivered:** 1.00 pounds **Special Features:** Plunger finish electroless nickleplate; plunger weight 7 grams; wire leads 12 in. Long, surface treatment document and classification: batype ii, class 1 qq-p-416 **Surface Treatment Specification:**

Type ii, class 1 qq-p-416 federal specification single treatment response

Test Data Document:

98230-0n089355 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

NSN 5945-00-401-6828

Electrical Solenoid - Page 2 of 2



Demilitarization:

No

Fiig:

A134a0