## NSN 5945-00-404-8830

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-404-8830

Overall Length:
1.010 inches
Overall Height:
0.610 inches
Overall Width:
1.000 inches
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
500.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
1 plug-in terminal single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
0.616 cubic inches
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Time Delay:
0.01 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
26.5 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
250.0 milliamperes ac resistive load and 2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Energizing Element Power Rating:
400.0 milliwatts
Test Data Document:
81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
Torrida, excluded definitional datalogo, industry and continue trade publications, following general type data on contain

## NSN 5945-00-404-8830

Electromagnetic Relay - Page 2 of 2



Terminal Type And Quantity:
14 pin all functions
Specification Data:
81349-mil-r-5757/12 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

...

Fiig:

A03300