## NSN 5945-00-405-7698

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-405-7698
Thread Class:
2b single mounting facility
Overall Length:
4.360 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.880 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.750 inches single mounting facility
Overall Height:
3.090 inches
Overall Width:
3.250 inches
Environmental Protection:
Dustproof
Frequency In Hertz:
60.0
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
6 threaded hole single mounting facility
Thread Size:
0.164 inches single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.50 seconds adjustable operate and release time and 10.00 minutes adjustable operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
120.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.5 amperes ac resistive load and 1.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
480.0 ac and 110.0 dc
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:

8 pin all functions

## NSN 5945-00-405-7698

Electromagnetic Relay - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300