NSN 5945-00-409-6580

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-409-6580

Thread Class:

2b single mounting facility

Thread Direction:

Right-hand single mounting facility

Overall Length:

2.312 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.671 inches single mounting facility and 1.703 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.421 inches single mounting facility and 1.453 inches single mounting facility

Overall Height:

3.578 inches

Overall Width:

2.062 inches

Environmental Protection:

Humidity resistant and salt spray resistant and shock resistant and vibration resistant

Frequency In Hertz:

400.0

Winding Quantity:

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 threaded hole single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Voltage Rating And Type At Specificationified Temp:

416.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Special Features:

3 phase coil

NSN 5945-00-409-6580

Electromagnetic Relay - Page 2 of 2



Thread Series Designator	T	hread	Series	Design	ator
--------------------------	---	-------	--------	--------	------

Unc single mounting facility

Terminal Type And Quantity:

9 screw all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300