# NSN 5945-00-410-9775

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-410-9775

# Thread Class:

2a single mounting facility

## **Thread Direction:**

Right-hand single mounting facility

# **Overall Length:**

2.281 inches

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.625 inches single mounting facility

#### **Overall Height:**

3.685 inches

#### **Overall Width:**

2.156 inches

#### Case Material:

Metal

#### **Environmental Protection:**

## Hermetic and shock resistant

**Contact Material:** 

Silver

## Winding Quantity:

1

#### Coil Quantity:

1

# Winding Dc Resistance Rating:

150.0 ohms single winding

#### **Duty Type:**

Continuous

# Mounting Facility Type And Quantity:

3 threaded stud single mounting facility

#### Cubic Measure:

18.122 cubic inches

#### Thready Qty Per Inch (tpi):

32 single mounting facility

#### **Thread Size:**

0.164 inches single mounting facility

#### **Mounting Facility Pattern:**

Triangle single mounting facility

#### Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

# Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

1.812 inches single mounting facility

# Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

# NSN 5945-00-410-9775

Electromagnetic Relay - Page 2 of 2



# Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

28.0 dc

# **Precious Material And Location:**

Contacts silver

# **Precious Material:**

Silver

## **Thread Series Designator:**

Unc single mounting facility

#### **Terminal Type And Quantity:**

14 wire hook all functions

Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

No

#### Fiig:

A03300