NSN 5945-00-419-7598

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-419-7598

Thread Class:

2b single mounting facility

Thread Direction:

Right-hand single mounting facility

Overall Length:

1.625 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.312 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.500 inches single mounting facility

Overall Height:

1.875 inches

Overall Width:

1.406 inches

Fragility Factor:

Moderately rugged

Winding Quantity:

1

Coil Quantity:

Winding Dc Resistance Rating:

230.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 threaded hole single mounting facility

Cubic Measure:

4.283 cubic inches

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

150.0 milliamperes dc single winding

Operating Voltage Rating And Type At Specificationified Temp:

26.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

NSN 5945-00-419-7598

Electromagnetic Relay - Page 2 of 2



Main	Contact	Maximum	Voltage	Rating	In	Volte:
viaiii	Contact	Waxiiiiuiii	vollaue	Nauiiu		voits.

115.0 ac and 24.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300