NSN 5945-00-434-9098

Electrical Solenoid - Page 1 of 2

Body Style:
Cylindrical frame
Body Diameter:



View Online at https://aerobasegroup.com/nsn/5945-00-434-9098

| Between 1.300 inches and 1.320 inches |
|--|
| Body Length: |
| Between 3.330 inches and 3.370 inches |
| Case Material: |
| Any acceptable |
| Case Surface Treatment: |
| Cadmium |
| Environmental Protection: |
| Any acceptable |
| Connector Manufacturer Code: |
| 96906 |
| Connector Manufacturer Part Number: |
| Ms24264-r-10-b5pnx |
| Maximum Operating Temp: |
| 275.0 degrees fahrenheit |
| Inclosure Type: |
| Fully enclosed |
| Magnetic Coil Quantity: |
| 1 |
| Duty Type: |
| Continuous |
| Terminal Location: |
| End opposite actuator |
| Voltage Rating In Volts: |
| 28.5 dc |
| Mounting Facility Type And Quantity: |
| 1 flange |
| Current Rating: |
| 0.920 amperes |
| Actuator Stroke Type: |
| Push |
| Linear Force Delivered: |
| 20.00 pounds |
| Power Takeoff Connection Type: |
| Internal plunger |
| Energizing Stroke Maximum Length: |
| 0.020 inches |
| Special Features: |
| Surface treatment document and classification: bgqq-p-416, type 1, class 1 |
| |
| |

NSN 5945-00-434-9098

Electrical Solenoid - Page 2 of 2



Qq-p-416, type 1, class 1 federal specification all treatment responses

Terminal Type And Quantity:

1 connector, receptacle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0