# NSN 5945-00-435-1184

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-435-1184

#### **Overall Length:**

0.280 inches

**Overall Diameter:** 

0.335 inches

### Case Material:

Metal

#### **Environmental Protection:**

Hermetic

#### Fragility Factor:

Moderately rugged

#### Winding Quantity:

1

#### **Purpose For Which Designed:**

General

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

880.0 ohms single winding

Duty Type:

Continuous

#### Arc Quenching Method:

Air

#### Mounting Facility Type And Quantity:

1 terminal single mounting facility

#### Storage Type:

General purpose warehouse

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### Operating Voltage Rating And Type At Specificationified Temp:

18.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 milliamperes dc lamp load

## Main Contact Maximum Voltage Rating In Volts:

28.0 dc

## Test Data Document:

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### Terminal Type And Quantity:

8 wire lead all functions

#### **Specification Data:**

81349-mil-r-5757/40 government specification

### Specification Or Standard:

No. -5757/40-004 part

# NSN 5945-00-435-1184

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

