

View Online at <https://aerobasegroup.com/nsn/5945-00-450-1649>

**Thread Class:**

2a second mounting facility

**Thread Length:**

0.375 inches second mounting facility

**Overall Length:**

2.593 inches

**Overall Height:**

1.437 inches

**Overall Width:**

1.625 inches

**Environmental Protection:**

Hermetic

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

445.0 ohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

3 threaded stud second mounting facility

**Thread Size:**

0.138 inches second mounting facility

**Mounting Facility Pattern:**

Triangle second mounting facility

**Nonpile-up Main Contact Arrangement:**

4 pole, double throw, one position momentary

**Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:**

1.187 inches second mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

115.0 ac and 26.5 dc

**Special Test Features:**

Navord od41152

**Thread Series Designator:**

Unc second mounting facility

**Terminal Type And Quantity:**

8 pin all functions

**Reference Number Differentiating Characteristics:**

As differentiated by special test features

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300