## NSN 5945-00-450-5181

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-450-5181

| g   |
|---|
| Body Style:   |
| Cylindrical frame   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.062 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 1.000 inches  |
| Body Diameter:  |
| 1.375 inches  |
| Body Length:  |
| 1.969 inches  |
| Case Material:  |
| Any acceptable  |
| Case Surface Treatment:   |
| Any acceptable  |
| Environmental Protection:   |
| Dustproof   |
| Actuator Width:   |
| 0.248 inches  |
| Inclosure Type:   |
| Fully enclosed  |
| Magnetic Coil Quantity:   |
| 1   |
| Electrical Resistance:  |
| 75.00 ohms  |
| Duty Type:  |
| Continuous  |
| Terminal Location:  |
| Circumference   |
| Voltage Rating In Volts:  |
| 30.0 dc   |
| Mounting Facility Type And Quantity:                                      |
| 4 threaded hole   |
| Actuator Stroke Type:   |
| Pull  |
| Linear Force Delivered:   |
| 7.00 ounces   |
| Power Takeoff Connection Type:  |
| Plunger pull rod  |
| Energizing Stroke Maximum Length:   |
| 0.188 inches  |

0.164 inches mounting facility hole

Thread Size:

## **NSN 5945-00-450-5181** Electrical Solenoid - Page 2 of 2



| Mounting Facility Pattern:  |
|-----------------------------|
| Four position rectangular   |
| Thread Series Designator:   |
| Unc mounting facility hole  |
| Terminal Type And Quantity: |
| 2 screw                     |
| Shelf Life:                 |
| N/a                         |
| Unit Of Measure:            |
|                             |
| Demilitarization:           |
| No                          |

Fiig: A134a0