

View Online at <https://aerobasegroup.com/nsn/5945-00-451-6383>

**Thread Class:**

2b first mounting facility

**Overall Length:**

4.220 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.750 inches first mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.500 inches second mounting facility

**Overall Height:**

3.090 inches

**Overall Width:**

3.250 inches

**Environmental Protection:**

Dustproof

**Unthreaded Mounting Hole Diameter:**

0.199 inches second mounting facility

**Frequency In Hertz:**

60.0

**Winding Quantity:**

1

**Coil Quantity:**

1

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

6 unthreaded hole second mounting facility

**Thread Size:**

0.164 inches first mounting facility

**Mounting Facility Pattern:**

Rectangular second mounting facility

**Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

**Time Delay:**

0.50 minutes adjustable operate time and 10.00 minutes adjustable operate time

**Operating Voltage Rating And Type At Specificationified Temp:**

70.0 volts ac 25 degrees celsius all windings

**Main Contact Load Current Rating At Maximum Rated Voltage:**

2.5 amperes ac resistive load and 1.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

480.0 ac and 110.0 dc

**Special Features:**

Operate time is variable, controlled pneumatically by a calibrated dial

**Thread Series Designator:**

Unc first mounting facility

**Terminal Type And Quantity:**

8 screw all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300