## NSN 5945-00-455-2221

Electromagnetic Relay - Page 1 of 2

Overall Length: 1.280 inches



View Online at https://aerobasegroup.com/nsn/5945-00-455-2221

Center To	o Center Distance Between Mounting Facilities Parallel To Length:
1.062 inch	nes single mounting facility
Overall H	leight:
0.410 incl	nes
Overall W	Vidth:
0.400 inch	nes
Case Mat	terial:
Metal	
Unthread	led Mounting Hole Diameter:
0.125 incl	nes single mounting facility
Fragility	Factor:
Moderate	ly rugged
Winding	Quantity:
1	
Purpose	For Which Designed:
General	
Coil Quar	ntity:
1	
Winding	Dc Resistance Rating:
900.0 ohn	ns single winding
<b>Duty Typ</b>	<b>e</b> :
Continuo	JS
Mounting	Facility Type And Quantity:
2 unthrea	ded hole single mounting facility
Storage 1	Гуре:
General p	purpose warehouse
Cubic Me	easure:
0.209 cub	uic inches
Mounting	g Facility Pattern:
In-line sin	gle mounting facility
Nonpile-u	up Main Contact Arrangement:
2 pole, de	ouble throw, one position momentary
Time Dela	ау:
0.006 sec	conds fixed operate and release time
Operating	g Voltage Rating And Type At Specificationified Temp:
26.0 volts	dc 25 degrees celsius single winding
Main Cor	ntact Load Current Rating At Maximum Rated Voltage:
2.0 ampe	res dc resistive load
Main Cor	ntact Maximum Voltage Rating In Volts:
28.0 dc	

## NSN 5945-00-455-2221

Electromagnetic Relay - Page 2 of 2



ī	ermina	ı	Type	Δnd	Qua	antity.
ı	CHILLING	41	INDE	Allu	wu	aiititv.

8 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300