## NSN 5945-00-455-5982

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-455-5982

| Overall Length:   |
|---|
| 1.405 inches  |
| Overall Height:   |
| 0.863 inches  |
| Overall Width:  |
| 1.109 inches  |
| Case Material:  |
| Metal   |
| Environmental Protection:   |
| Dustproof   |
| Unthreaded Mounting Hole Diameter:  |
| 0.299 inches single mounting facility   |
| Fragility Factor:   |
| Moderately rugged   |
| Winding Quantity:   |
| 1   |
| Purpose For Which Designed:   |
| General   |
| Coil Quantity:  |
| 1   |
| Duty Type:  |
| Continuous  |
| Arc Quenching Method:   |
| Air   |
| Mounting Facility Type And Quantity:  |
| 1 unthreaded hole single mounting facility  |
| Storage Type:   |
| General purpose warehouse   |
| Cubic Measure:  |
| 1.344 cubic inches  |
| Nonpile-up Main Contact Arrangement:  |
| 1 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action |
| Time Delay:   |
| 0.001 seconds fixed operate and release time  |
| Operating Voltage Rating And Type At Specificationified Temp:   |
| 5.0 volts dc 25 degrees celsius single winding  |
| Main Contact Load Current Rating At Maximum Rated Voltage:  |
| 3.0 amperes ac resistive load   |
| Main Contact Maximum Voltage Rating In Volts:   |
| 18.0 ac   |
| Terminal Type And Quantity:   |

6 screw all functions

## NSN 5945-00-455-5982

Electromagnetic Relay - Page 2 of 2



|  | Life: |
|--|-------|
|  |       |
|  |       |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300