## NSN 5945-00-462-2847

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-462-2847

## Thread Class:

2a single mounting facility

## **Overall Length:**

1.300 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.750 inches single mounting facility

## Center To Center Distance Between Mounting Facilities Parallel To Width:

0.562 inches single mounting facility

## **Overall Height:**

0.500 inches

Overall Width:

1.032 inches

## Winding Quantity:

1

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

16.0 ohms single winding

Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

#### Thready Qty Per Inch (tpi):

32 single mounting facility

#### Thread Size:

0.132 inches single mounting facility

#### Mounting Facility Pattern:

Diagonal single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### Time Delay:

0.007 seconds fixed operate time

#### Operating Voltage Rating And Type At Specificationified Temp:

6.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

#### **Thread Series Designator:**

Unc single mounting facility

#### **Terminal Type And Quantity:**

8 tab, solder lug all functions

# NSN 5945-00-462-2847

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300

