NSN 5945-00-465-4379

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-465-4379					
Thread Class:					
2a single mounting facility					
Overall Length:					
1.490 inches					
Center To Center Distance Between Mounting Facilities Parallel To Length:					
0.800 inches single mounting facility					
Center To Center Distance Between Mounting Facilities Parallel To Width:					
0.220 inches single mounting facility					
Overall Height:					
0.810 inches					
Overall Width:					
0.810 inches					
Environmental Protection:					
Hermetic					
Fragility Factor:					
Moderately rugged					
Winding Quantity:					
1					
Purpose For Which Designed:					
General					
Coil Quantity:					
1					
Winding Dc Resistance Rating:					
900.0 ohms single winding and 1.1 kilohms single winding					
Duty Type:					
Continuous					
Mounting Facility Type And Quantity:					
2 threaded stud single mounting facility					
Storage Type:					
General purpose warehouse					
Features Provided:					
Polarized					
Thread Size:					
0.112 inches single mounting facility					
Mounting Facility Pattern:					
Diagonal single mounting facility					
Nonpile-up Main Contact Arrangement:					
2 pole, double throw, one position momentary					
Operating Current Rating And Type:					

10.0 milliamperes dc single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

300.0 milliamperes ac resistive load and 750.0 milliamperes dc resistive load

NSN 5945-00-465-4379

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum	Voltage	Rating	In	Volts:
115 0 as and 29 0 da				

115.0 ac and 28.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

Unit Of Measure:

N/a

Demilitarization:

No

Fiig:

A03300