NSN 5945-00-466-1638

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-466-1638

The Common at the particular of the Company of the Common at the Company of the C
Overall Length:
1.210 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.000 inches single mounting facility
Overall Height:
0.422 inches
Overall Width:
1.180 inches
Mounting Slot Width:
0.192 inches single mounting facility
Environmental Protection:
Hermetic
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
495.0 ohms single winding and 1.025 kilohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 slotted hole single mounting facility
Features Provided:
Polarized
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
26.5 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
0.3 amperes ac resistive load and 2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Special Features:
Three no. 5/0.125 in./-44 thd mates with microdot lepra/con ultraminiature connector
Terminal Type And Quantity:
8 pin all functions
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5945-00-466-1638

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300