# NSN 5945-00-472-6392

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-472-6392

3
Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
2.406 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.000 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.200 inches single mounting facility
Overall Height:
1.010 inches
Overall Width:
1.750 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
4.252 cubic inches
Thready Qty Per Inch (tpi):
32 single mounting facility

Thread Size:

0.138 inches single mounting facility

# NSN 5945-00-472-6392

Electromagnetic Relay - Page 2 of 2



### **Mounting Facility Pattern:**

Rectangular single mounting facility

# **Nonpile-up Main Contact Arrangement:**

1 pole, double throw, one position momentary

### Time Delay:

0.02 seconds fixed operate and release time

# **Operating Voltage Rating And Type At Specificationified Temp:**

110.0 volts ac 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 1.0 amperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

110.0 ac and 32.0 dc

#### **Thread Series Designator:**

Unc single mounting facility

# **Terminal Type And Quantity:**

5 tab, solder lug all functions

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A03300