# NSN 5945-00-478-7841

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-478-7841

## **Overall Length:**

1.180 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches single mounting facility

## **Overall Height:**

0.595 inches

## **Overall Width:**

0.410 inches

## **Environmental Protection:**

Hermetic

## **Unthreaded Mounting Hole Diameter:**

0.096 inches single mounting facility

Fragility Factor:

Moderately rugged

Winding Quantity:

1

## Purpose For Which Designed:

General

**Coil Quantity:** 

1

## Winding Dc Resistance Rating:

600.0 ohms single winding and 900.0 ohms single winding

**Duty Type:** 

Continuous

## Mounting Facility Type And Quantity:

3 unthreaded hole single mounting facility

#### Storage Type:

General purpose warehouse

#### Mounting Facility Pattern:

In-line single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

## Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

300.0 milliamperes ac resistive load and 2.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

## Test Data Document:

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

8 pin all functions

# NSN 5945-00-478-7841

Electromagnetic Relay - Page 2 of 2



**Specification Data:** 

81349-mil-r-5757/9 government specification

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300